


ミーティング報告

2010/2/1


神田拓真

^{55}Fe 真空

25000sec



拡大



X-rays from $^{34\text{m}}\text{Cl}$ (32.00 m 4)

| E (keV) | I (%) | Assignment |
|---------|-------------|-----------------|
| 0.165 | 9E-06 3 | S L β 1 |
| 0.202 | 4.4E-05 13 | CL L β 1 |
| 0.221 | 3.0E-06 11 | S L β 4 |
| 0.221 | 4.8E-06 17 | S L β 3 |
| 0.263 | 2.4E-05 8 | CL L β 4 |
| 0.263 | 3.8E-05 13 | CL L β 3 |
| 2.243 | 1.50E-09 16 | S K α 3 |
| 2.307 | 0.028 3 | S K α 2 |
| 2.308 | 0.056 6 | S K α 1 |
| 2.464 | 0.00132 14 | S K β 3 |
| 2.464 | 0.0026 3 | S K β 1 |
| 2.552 | 1.42E-08 15 | CL K α 3 |
| 2.621 | 0.193 20 | CL K α 2 |
| 2.622 | 0.39 4 | CL K α 1 |
| 2.816 | 0.0122 12 | CL K β 3 |
| 2.816 | 0.0240 25 | CL K β 1 |


O⁷⁺

2p: 573.94774 eV

3p: 665.61533 eV

4p: 697.79542 eV

Intensity



20100118_N6+


N⁶⁺

2p: 430.6950 eV

3p: 497.6440 eV

4p: 521.5779 eV

Intensity



2010/1/29

5+

2p: 307.89897 eV

3p: 354.51650 eV

4p: 370.91884 eV

